Department Pathology and Laboratory Medicine
Nationwide Children's Hospital
700 Children's Drive
Columbus, Ohio 43205

GI Pathogens Report


***Note counts are based on Individual tests

The 1st week in the year calculations has been corrected

	Adenovirus			Astrovirus			Norovirus			Rotavirus			Sapovirus			Campylobacter		
	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive
3/23/2024	4	92	4%	8	92	9%	16	92	17%	6	92	7%	6	92	7%	5	92	5%
3/16/2024	2	89	2%	8	89	9%	18	89	20%	5	89	6%	9	89	10%	3	89	3%
3/9/2024	2	92	2%	7	92	8%	20	92	22%	1	92	1%	4	92	4%	0	92	0%
3/2/2024	8	105	8%	5	105	5%	29	105	28%	1	105	1%	8	105	8%	1	105	1%
2/24/2024	6	119	5%	5	119	4%	28	119	24%	4	119	3%	9	119	8%	2	119	2%
2/17/2024	9	91	10%	8	91	9%	23	91	25%	2	91	2%	6	91	7%	2	91	2%
2/10/2024	5	124	4%	9	124	7%	20	124	16%	4	124	3%	6	124	5%	1	124	1%
2/3/2024	6	104	6%	4	104	4%	14	104	13%	5	109	5%	8	104	8%	1	104	1%
1/27/2024	6	89	7%	1	89	1%	14	89	16%	2	89	2%	3	89	3%	2	89	2%
1/20/2024	6	78	8%	3	78	4%	11	78	14%	5	78	6%	10	78	13%	3	78	4%
1/13/2024	6	92	7%	5	92	5%	16	92	17%	0	92	0%	8	92	9%	3	92	3%
1/6/2024	7	89	8%	2	89	2%	13	89	15%	2	89	2%	13	89	15%	2	89	2%
12/30/2023	7	72	10%	2	72	3%	16	72	22%	0	72	0%	11	72	15%	1	72	1%
12/23/2023	4	105	4%	2	105	2%	13	105	12%	2	105	2%	6	105	6%	8	105	8%
12/16/2023	4	104	4%	1	104	1%	15	104	14%	3	104	3%	8	104	8%	1	104	1%
12/9/2023	8	92	9%	3	92	3%	10	92	11%	3	92	3%	8	92	9%	2	92	2%
12/2/2023	9	80	11%	1	80	1%	12	80	15%	2	80	3%	6	80	8%	2	80	3%
11/25/2023	6	73	8%	2	73	3%	7	73	10%	1	73	1%	6	73	8%	1	73	1%
11/18/2023	6	77	8%	1	77	1%	12	77	16%	1	77	1%	3	77	4%	0	77	0%
11/11/2023	8	92	9%	0	92	0%	5	92	5%	5	100	5%	4	92	4%	3	91	3%
11/4/2023	5	88	6%	1	86	1%	4	86	5%	1	88	1%	5	86	6%	1	86	1%
10/28/2023	4	84	5%	0	84	0%	3	84	4%	1	84	1%	5	84	6%	4	84	5%
10/21/2023	8	91	9%	1	91	1%	10	91	11%	3	91	3%	4	91	4%	5	91	5%
10/14/2023	3	82	4%	1	82	1%	8	82	10%	3	82	4%	2	82	2%	2	82	2%
10/7/2023	2	85	2%	0	85	0%	1	85	1%	2	85	2%	3	85	4%	1	85	1%
9/30/2023	7	76	9%	1	76	1%	0	76	0%	2	76	3%	2	76	3%	3	76	4%
9/23/2023	6	67	9%	0	67	0%	3	67	4%	3	67	4%	6	67	9%	0	67	0%
9/16/2023	2	82	2%	0	82	0%	4	82	5%	3	82	4%	2	82	2%	5	82	6%
9/9/2023	6	74	8%	0	74	0%	3	74	4%	1	74	1%	5	74	7%	3	74	4%
9/2/2023	4	80	5%	2	80	3%	6	80	8%	1	80	1%	1	80	1%	5	80	6%
8/26/2023	6	84	7%	0	84	0%	10	84	12%	3	84	4%	2	84	2%	7	84	8%
8/19/2023	6	101	6%	1	101	1%	3	101	3%	8	101	8%	5	101	5%	3	101	3%
8/12/2023	4	84	5%	2	84	2%	5	84	6%	1	84	1%	6	84	7%	3	84	4%
8/5/2023	3	76	4%	1	76	1%	3	76	4%	2	76	3%	2	76	3%	1	76	1%
7/29/2023	2	71	3%	0	71	0%	5	71	7%	2	71	3%	3	71	4%	3	71	4%
7/22/2023	4	87	5%	0	87	0%	6	87	7%	1	87	1%	0	87	0%	3	87	3%
7/15/2023	4	84	5%	1	84	1%	6	84	7%	6	84	7%	5	84	6%	5	84	6%
7/8/2023	2	73	3%	1	73	1%	3	73	4%	6	73	8%	3	73	4%	4	73	5%
7/1/2023	1	77	1%	0	77	0%	4	77	5%	3	78	4%	3	77	4%	0	77	0%
6/24/2023	3	77	4%	0	77	0%	4	77	5%	8	77	10%	7	77	9%	1	77	1%
6/17/2023	4	79	5%	0	79	0%	10	79	13%	10	79	13%	5	79	6%	1	79	1%
6/10/2023	7	97	7%	7	97	7%	8	97	8%	10	97	10%	7	97	7%	3	97	3%
6/3/2023	1	34	3%	1	33	3%	3	33	9%	5	33	15%	0	33	0%	0	33	0%

	Enterotoxigenic E Coli			Plesiomonas shigelloides			Salmonella			Shiga like txn producing Ecoli			Shigella/Enteroinvasive Ecoli			Vibrio		
	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive
3/23/2024	2	92	2%	1	92	1%	1	92	1%	0	92	0%	0	92	0%	0	92	0%
3/16/2024	0	89	0%	0	89	0%	1	89	1%	1	89	1%	0	89	0%	0	89	0%
3/9/2024	1	92	1%	0	92	0%	2	92	2%	0	92	0%	0	92	0%	0	92	0%
3/2/2024	3	105	3%	0	105	0%	0	105	0%	1	105	1%	0	105	0%	0	105	0%
2/24/2024	0	119	0%	0	119	0%	3	119	3%	2	119	2%	1	119	1%	0	119	0%
2/17/2024	2	91	2%	0	91	0%	1	91	1%	0	91	0%	2	91	2%	0	91	0%
2/10/2024	0	124	0%	0	124	0%	2	124	2%	0	124	0%	0	124	0%	0	124	0%
2/3/2024	0	104	0%	0	104	0%	1	104	1%	2	104	2%	1	104	1%	0	104	0%
1/27/2024	0	89	0%	0	89	0%	0	89	0%	0	89	0%	1	89	1%	0	89	0%
1/20/2024	2	78	3%	0	78	0%	1	78	1%	1	78	1%	0	78	0%	0	78	0%
1/13/2024	3	92	3%	0	92	0%	1	92	1%	0	92	0%	3	92	3%	0	92	0%
1/6/2024	0	89	0%	0	89	0%	2	89	2%	1	89	1%	2	89	2%	0	89	0%
12/30/2023	0	72	0%	0	72	0%	0	72	0%	1	72	1%	0	72	0%	0	72	0%
12/23/2023	2	105	2%	0	105	0%	2	105	2%	0	105	0%	0	105	0%	0	105	0%
12/16/2023	2	104	2%	0	104	0%	2	104	2%	1	104	1%	1	104	1%	0	104	0%
12/9/2023	1	92	1%	0	92	0%	1	92	1%	1	92	1%	1	92	1%	0	92	0%
12/2/2023	0	80	0%	0	80	0%	0	80	0%	1	80	1%	0	80	0%	0	80	0%
11/25/2023	0	73	0%	0	73	0%	0	73	0%	0	73	0%	0	73	0%	0	73	0%
11/18/2023	1	77	1%	0	77	0%	0	77	0%	0	77	0%	1	77	1%	0	77	0%
11/11/2023	1	92	1%	0	92	0%	1	92	1%	0	92	0%	0	92	0%	0	92	0%
11/4/2023	2	86	2%	0	86	0%	1	86	1%	0	86	0%	1	86	1%	0	86	0%
10/28/2023	1	84	1%	0	84	0%	1	84	1%	0	84	0%	2	84	2%	0	84	0%
10/21/2023	1	91	1%	0	91	0%	1	91	1%	0	91	0%	1	91	1%	0	91	0%
10/14/2023	2	82	2%	0	82	0%	2	82	2%	1	82	1%	2	82	2%	0	82	0%
10/7/2023	2	85	2%	0	85	0%	1	85	1%	7	85	8%	1	85	1%	0	85	0%
9/30/2023	1	76	1%	0	76	0%	1	76	1%	6	76	8%	0	76	0%	0	76	0%
9/23/2023	1	67	1%	0	67	0%	1	67	1%	1	67	1%	2	67	3%	0	67	0%
9/16/2023	1	82	1%	1	82	1%	0	82	0%	0	82	0%	2	82	2%	0	82	0%
9/9/2023	3	74	4%	0	74	0%	2	74	3%	1	74	1%	1	74	1%	0	74	0%
9/2/2023	1	80	1%	1	80	1%	4	80	5%	2	80	3%	0	80	0%	0	80	0%
8/26/2023	1	84	1%	0	84	0%	2	84	2%	1	84	1%	0	84	0%	0	84	0%
8/19/2023	2	101	2%	0	101	0%	4	101	4%	3	101	3%	1	101	1%	0	101	0%
8/12/2023	3	84	4%	1	84	1%	6	84	7%	1	84	1%	1	84	1%	0	84	0%
8/5/2023	3	76	4%	1	76	1%	1	76	1%	3	76	4%	4	76	5%	0	76	0%
7/29/2023	6	71	8%	1	71	1%	4	71	6%	2	71	3%	0	71	0%	0	71	0%
7/22/2023	1	87	1%	2	87	2%	1	87	1%	1	87	1%	0	87	0%	0	87	0%
7/15/2023	1	84	1%	3	84	4%	2	84	2%	2	84	2%	0	84	0%	0	84	0%
7/8/2023	2	73	3%	0	73	0%	1	73	1%	3	73	4%	0	73	0%	0	73	0%
7/1/2023	2	77	3%	0	77	0%	2	77	3%	1	77	1%	0	77	0%	0	77	0%
6/24/2023	4	77	5%	0	77	0%	1	77	1%	0	77	0%	4	77	5%	0	77	0%
6/17/2023	2	79	3%	1	79	1%	2	79	3%	0	79	0%	2	79	3%	1	79	1%
6/10/2023	0	97	0%	2	97	2%	1	97	1%	3	97	3%	2	97	2%	2	97	2%
6/3/2023	0	33	0%	0	33	0%	0	33	0%	0	33	0%	0	33	0%	0	33	0%

	Yersinia enterocolitica			Cyclospora cayetanensis			Cryptosporidium			Entamoeba histolytica			Giardia		
	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive	Positive	Total	Percent Positive
3/23/2024	0	92	0%	0	92	0%	0	100	0%	0	92	0%	0	100	0%
3/16/2024	0	89	0%	0	89	0%	1	95	1%	0	89	0%	1	95	1%
3/9/2024	1	92	1%	0	92	0%	0	94	0%	0	92	0%	1	94	1%
3/2/2024	0	105	0%	0	105	0%	1	118	1%	0	105	0%	5	118	4%
2/24/2024	0	119	0%	0	119	0%	1	123	1%	0	119	0%	3	123	2%
2/17/2024	0	91	0%	0	91	0%	2	94	2%	0	91	0%	2	94	2%
2/10/2024	0	124	0%	0	124	0%	0	128	0%	0	124	0%	2	129	2%
2/3/2024	0	104	0%	0	104	0%	2	111	2%	0	104	0%	1	111	1%
1/27/2024	0	89	0%	0	89	0%	1	96	1%	0	89	0%	0	97	0%
1/20/2024	0	78	0%	0	78	0%	1	81	1%	0	78	0%	1	81	1%
1/13/2024	1	92	1%	0	92	0%	0	99	0%	0	92	0%	1	99	1%
1/6/2024	1	89	1%	0	89	0%	1	93	1%	0	89	0%	1	93	1%
12/30/2023	0	72	0%	0	72	0%	0	72	0%	0	72	0%	2	73	3%
12/23/2023	0	105	0%	0	105	0%	0	112	0%	0	105	0%	1	115	1%
12/16/2023	0	104	0%	0	104	0%	3	113	3%	0	104	0%	1	113	1%
12/9/2023	2	92	2%	0	92	0%	0	94	0%	0	92	0%	2	94	2%
12/2/2023	0	80	0%	0	80	0%	0	82	0%	0	80	0%	1	82	1%
11/25/2023	0	73	0%	0	73	0%	0	77	0%	0	73	0%	3	77	4%
11/18/2023	0	77	0%	0	77	0%	1	80	1%	0	77	0%	2	81	2%
11/11/2023	0	92	0%	0	92	0%	0	93	0%	0	92	0%	2	94	2%
11/4/2023	0	86	0%	0	86	0%	3	88	3%	0	86	0%	3	89	3%
10/28/2023	0	84	0%	0	84	0%	0	86	0%	0	84	0%	1	86	1%
10/21/2023	1	91	1%	0	91	0%	2	106	2%	0	91	0%	1	108	1%
10/14/2023	0	82	0%	0	82	0%	2	95	2%	0	82	0%	2	95	2%
10/7/2023	0	85	0%	0	85	0%	1	100	1%	0	85	0%	3	100	3%
9/30/2023	0	76	0%	0	76	0%	4	99	4%	0	76	0%	1	99	1%
9/23/2023	0	67	0%	0	67	0%	1	76	1%	0	67	0%	1	76	1%
9/16/2023	0	82	0%	0	82	0%	3	82	4%	0	82	0%	5	83	6%
9/9/2023	1	74	1%	0	74	0%	6	75	8%	0	74	0%	3	75	4%
9/2/2023	0	80	0%	0	80	0%	0	84	0%	0	80	0%	0	85	0%
8/26/2023	1	84	1%	0	84	0%	0	90	0%	0	84	0%	3	92	3%
8/19/2023	0	101	0%	0	101	0%	0	110	0%	0	101	0%	1	110	1%
8/12/2023	1	84	1%	0	84	0%	1	92	1%	0	84	0%	2	92	2%
8/5/2023	0	76	0%	0	76	0%	1	78	1%	0	76	0%	2	80	3%
7/29/2023	0	71	0%	0	71	0%	1	76	1%	0	71	0%	1	76	1%
7/22/2023	1	87	1%	1	87	1%	0	97	0%	0	87	0%	1	98	1%
7/15/2023	0	84	0%	0	84	0%	2	93	2%	0	84	0%	0	94	0%
7/8/2023	1	73	1%	0	73	0%	1	76	1%	0	73	0%	4	77	5%
7/1/2023	0	77	0%	0	77	0%	1	86	1%	0	77	0%	1	88	1%
6/24/2023	0	77	0%	0	77	0%	1	84	1%	0	77	0%	1	84	1%
6/17/2023	1	79	1%	0	79	0%	0	85	0%	0	79	0%	1	85	1%
6/10/2023	3	97	3%	0	97	0%	3	99	3%	0	97	0%	1	99	1%
6/3/2023	0	33	0%	0	33	0%	0	37	0%	0	33	0%	0	37	0%



****Report includes results from the GI FilmArray, in addition to most individual test results (i.e. Rotavirus Antigen). It does not include stool culture results."